

Witney Town Council

Mrs Sharon Groth *FSLCC fCMgr*
Town Clerk

Cllr Joy Aitman
Mayor of Witney



Town Hall, Market Square
Witney, Oxon
OX28 6AG
Tel: 01993 704379
Fax: 01993 771893
E-mail: info@witney-tc.gov.uk
www.witney-tc.gov.uk

The Corn Exchange, Witney, Oxfordshire. Penetrating Damp. **Works required**

The Corn Exchange, Witney, was built by the private “Corn Exchange Company” in 1863, replacing a 16th Century building used in the 1850’s as a corn returns office. By 1875 it was Witney’s leading building.

The current block paver and slab roadway inclines into the side elevation of the corn Exchange above DMP level causing a penetrating damp issue within the building.

Intended works to correct this issue are to lift a section of block pavers and install a ACO drainage channel connected to an existing storm water drain, and relay block pavers into drainage channel.

Required works

- Fence off area of work.
- Lift relevant area of block pavers and set aside for reuse.
- Install 20m ACO drainage channel with fall leading into existing storm water drain.
- Reinstall block pavers into new ACO drainage channel.
- Clean and clear site upon completion of works.

TENDER RETURNS:

Tenders should be returned to Mr. John Hickman, Operations and Estates Advisor, Witney Town Council, Town Hall, Market Square, Witney, Oxon OX28 6AG, no later than 9am on 11 March 2022. Envelopes should be marked Tender -Drainage, Private and Confidential.